

CLAIMS

1. A liquid drop discharge head, comprising:
 - a nozzle configured to discharge a liquid
- 5 drop by using a piezoelectric element;
 - wherein lead ingredients are not included in the piezoelectric element.
- 10 2. The liquid drop discharge head as claimed in claim 1,
 - wherein main ingredients of the piezoelectric element are materials having a perovskite type crystal structure not including lead.
- 15 3. The liquid drop discharge head as claimed in claim 2,
 - wherein main ingredients of the piezoelectric element are barium titanate.
- 20 4. The liquid drop discharge head as claimed in claim 2,
 - wherein main ingredients of the piezoelectric element are potassium niobate.
- 25 5. The liquid drop discharge head as claimed

in claim 2,

wherein main ingredients of the
piezoelectric element are bismuth sodium titanate.

5 6. The liquid drop discharge head as claimed
in claim 2,

wherein main ingredients of the
piezoelectric element are nickel sodium titanate.

10 7. The liquid drop discharge head as claimed
in claim 1,

wherein main ingredients of the
piezoelectric element are materials having a tungsten
bronze type crystal structure.

15

8. The liquid drop discharge head as claimed
in claim 7,

wherein main ingredients of the
piezoelectric element are $\text{Ba}_2\text{NaNb}_5\text{O}_{15}$.

20

9. The liquid drop discharge head as claimed
in claim 1,

wherein main ingredients of the
piezoelectric element are materials having a bismuth
25 layered compound.

10. The liquid drop discharge head as
claimed in claim 9,

5 wherein main ingredients of the
piezoelectric element are $\text{Bi}_4\text{Ti}_3\text{O}_{12}$.

11. A liquid drop discharge device,
comprising:

10 a liquid drop discharge head configured to
discharge a liquid drop;

wherein the liquid drop discharge head
includes a nozzle configured to discharge the liquid
drop by using a piezoelectric element, and
lead ingredients are not included in the
15 piezoelectric element.

12. An image forming device configured to
form an image on a recording medium by discharging a
liquid drop of recording liquid, comprising:

20 a liquid drop discharge head configured to
discharge the liquid drop;

wherein the liquid drop discharge head
includes a nozzle configured to discharge the liquid
drop by using a piezoelectric element, and
25 lead ingredients are not included in the

piezoelectric element.

5

10

15

20

25